IEEE Xplore RELEASE 2.0

Welcome United States Patent and Trademark Office

BROWSE   SEARCH   IEEE XPLORE GUIDE

Search Results

Results for **"fpga<and>sleep mode<and>clock"**
Your search matched **46** of **1174497** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail

» View Session History
» New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

fpga<and>sleep mode<and>clock   ≫

☐ Check to search only within this results set

Display Format: ● Citation   ○ Citation & Abstract

Select   Article Information

☐ 1. **A leakage reduction methodology for distributed MTCMOS**
Calhoun, B.H.; Honore, F.A.; Chandrakasan, A.P.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 5, May 2004 Page(s):818 - 826
AbstractPlus | References | Full Text: PDF(792 KB)   IEEE JNL

☐ 2. **FPGA-based digit-serial complex number multiplier-accumulator**
Sansaloni, T.; Valls, J.; Parhi, K.K.;
Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE Intern
Symposium on
Volume 4, 28-31 May 2000 Page(s):585 - 588 vol.4
AbstractPlus | Full Text: PDF(436 KB)   IEEE CNF

☐ 3. **An LSI for V_{DD}-hopping and MPEG4 system based on the chip**
Kawaguchi, H.; Gang Zhang; Seongsoo Lee; Sakurai, T.;
Circuits and Systems, 2001. ISCAS 2001. The 2001 IEEE International Symposium on
Volume 4, 6-9 May 2001 Page(s):918 - 921 vol. 4
AbstractPlus | Full Text: PDF(448 KB)   IEEE CNF

☐ 4. **A modular power-aware microsensor with >1000X dynamic power range**
Schott, B.; Bajura, M.; Czarnaski, J.; Flidr, J.; Tho, T.; Wang, L.;
Information Processing in Sensor Networks, 2005. IPSN 2005. Fourth International Syr
25-27 April 2005 Page(s):469 - 474
AbstractPlus | Full Text: PDF(1257 KB)   IEEE CNF

☐ 5. **Design considerations for next generation wireless power-aware microsensor no**
Wentzloff, D.D.; Calhoun, B.H.; Min, R.; Alice Wang; Ickes, N.; Chandrakasan, A.P.;
VLSI Design, 2004. Proceedings. 17th International Conference on
2004 Page(s):361 - 367
AbstractPlus | Full Text: PDF(519 KB)   IEEE CNF

☐ 6. **Design and analysis of dual-rail circuits for security applications**
Sokolov, D.; Murphy, J.; Bystrov, A.; Yakovlev, A.;
Computers, IEEE Transactions on
Volume 54, Issue 4, April 2005 Page(s):449 - 460
AbstractPlus | Full Text: PDF(1272 KB)   IEEE JNL

7. **A survey of design techniques for system-level dynamic power management**
Benini, L.; Bogliolo, A.; De Micheli, G.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 8, Issue 3, June 2000 Page(s):299 - 316

AbstractPlus | References | Full Text: PDF(268 KB)   IEEE JNL

8. **The development of a novel minaturized modular platform for wireless sensor ne**
O'Flynn, B.; Bellis, S.; Delaney, K.; Barton, J.; O'Mathuna, S.C.; Barroso, A.M.; Bensor
Sreenan, C.;
Information Processing in Sensor Networks, 2005. IPSN 2005. Fourth International Syr
25-27 April 2005 Page(s):370 - 375

AbstractPlus | Full Text: PDF(672 KB)   IEEE CNF

9. **Quality of EDA CAD tools: definitions, metrics and directions**
Farrahi, A.H.; Hathaway, D.J.; Wang, M.; Sarrafzadeh, M.;
Quality Electronic Design, 2000. ISQED 2000. Proceedings. IEEE 2000 First Internatio
on
20-22 March 2000 Page(s):395 - 405

AbstractPlus | Full Text: PDF(624 KB)   IEEE CNF

10. **Dynamic power management of multiprocessor systems**
Jinwoo Suh; Dong-In Kang; Crago, S.P.;
Parallel and Distributed Processing Symposium., Proceedings International, IPDPS 20
CD-ROM
15-19 April 2002 Page(s):97 - 104

AbstractPlus | Full Text: PDF(501 KB)   IEEE CNF

11. **Hardware-based power management for real-time applications**
Uhrig, S.; Ungerer, T.;
Parallel and Distributed Computing, 2003. Proceedings. Second International Symposi
13-14 Oct. 2003 Page(s):258 - 265

AbstractPlus | Full Text: PDF(323 KB)   IEEE CNF

12. **Ad hoc grids: communication and computing in a power constrained environmei**
Marinescu, D.C.; Marinescu, G.M.; Yongchang Ji; Boloni, L.; Siegel, H.J.;
Performance, Computing, and Communications Conference, 2003. Conference Procee
IEEE International
9-11 April 2003 Page(s):113 - 122

AbstractPlus | Full Text: PDF(963 KB)   IEEE CNF

13. **Implementation of a low power motion detection camera processor using a CMO**
Suh Ho Lee; Seon Wook Kim; Suki Kim;
Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International Sympos
Volume 2, 23-26 May 2004 Page(s):II - 737-40 Vol.2

AbstractPlus | Full Text: PDF(407 KB)   IEEE CNF

14. **Design considerations for ultra-low energy wireless microsensor nodes**
Calhoun, B.H.; Daly, D.C.; Naveen Verma; Finchelstein, D.F.; Wentzloff, D.D.; Wang, /
Cho; Chandrakasan, A.P.;
Computers, IEEE Transactions on
Volume 54, Issue 6, June 2005 Page(s):727 - 740

AbstractPlus | Full Text: PDF(1568 KB)   IEEE JNL

15. **Energy-aware wireless systems with adaptive power-fidelity tradeoffs**
Raghunathan, V.; Pereira, C.L.; Srivastava, M.B.; Gupta, R.K.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 13, Issue 2, Feb 2005 Page(s):211 - 225

AbstractPlus | Full Text: PDF(1632 KB)   IEEE JNL

16. **A 500-dpi AC capacitive hybrid flip-chip CMOS ASIC/sensor module for fingerprit and pointer detection with on-chip data processing**
Vermesan, O.; Riisnaes, K.H.; Le Pailleur, L.; Nysaether, J.B.; Bauge, M.; Rustad, H.; ‹
Blystad, L.-C.; Grindvoll, H.; Pedersen, R.; Pezzani, R.; Kaire, D.;
Solid-State Circuits, IEEE Journal of
Volume 38, Issue 12, Dec 2003 Page(s):2288 - 2296

AbstractPlus | Full Text: PDF(734 KB)   IEEE JNL.

17. **On Supporting Power-Efficient Streaming Applications in Wireless Environment:**
Hao Zhu; Guohong Cao;
Mobile Computing, IEEE Transactions on
Volume 4, Issue 4, July-Aug. 2005 Page(s):391 - 403

AbstractPlus | Full Text: PDF(856 KB)   IEEE JNL.

18. **A forward body-biased low-leakage SRAM cache: device, circuit and architecture**
Kim, C.H.; Jae-Joon Kim; Mukhopadhyay, S.; Roy, K.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 13, Issue 3, March 2005 Page(s):349 - 357

AbstractPlus | Full Text: PDF(736 KB)   IEEE JNL.

19. **Bluetooth telemedicine Processor for multichannel biomedical signal transmissi cellular networks**
Rasid, M.F.A.; Woodward, B.;
Information Technology in Biomedicine, IEEE Transactions on
Volume 9, Issue 1, March 2005 Page(s):35 - 43

AbstractPlus | Full Text: PDF(712 KB)   IEEE JNL.

20. **/spl mu/ITRON-LP: power-conscious real-time OS based on cooperative voltage : multimedia applications**
Kawaguchi, H.; Shin, Y.; Sakurai, T.;
Multimedia, IEEE Transactions on
Volume 7, Issue 1, Feb. 2005 Page(s):67 - 74

AbstractPlus | Full Text: PDF(1008 KB)   IEEE JNL.

21. **UWB wireless sensor networks: UWEN - a practical example**
Oppermann, I.; Stoica, L.; Rabbachin, A.; Shelby, Z.; Haapola, J.;
Communications Magazine, IEEE
Volume 42, Issue 12, Dec. 2004 Page(s):S27 - S32

AbstractPlus | Full Text: PDF(692 KB)   IEEE JNL

22. **AMON: a wearable multiparameter medical monitoring and alert system**
Anliker, U.; Ward, J.A.; Lukowicz, P.; Troster, G.; Dolveck, F.; Baer, M.; Keita, F.; Sche
Catarsi, F.; Coluccini, L.; Belardinelli, A.; Shklarski, D.; Alon, M.; Hirt, E.; Schmid, R.; V
Information Technology in Biomedicine, IEEE Transactions on
Volume 8, Issue 4, Dec. 2004 Page(s):415 - 427

AbstractPlus | References | Full Text: PDF(1568 KB)   IEEE JNL

23. **Solar compass chip**
Liebe, C.C.;
Sensors Journal, IEEE
Volume 4, Issue 6, Dec. 2004 Page(s):779 - 786

AbstractPlus | References | Full Text: PDF(768 KB)   IEEE JNL

24.
Studying energy trade offs in offloading computation/compilation in Java-enable devices

Chen, G.; Kang, B.-T.; Kandemir, M.; Vijaykrishnan, N.; Irwin, M.J.; Chandramouli, R.;
Parallel and Distributed Systems, IEEE Transactions on
Volume 15, Issue 9, Sept. 2004 Page(s):795 - 809

AbstractPlus | Full Text: PDF(2560 KB)   IEEE JNL

25. **Specification and analysis of power-managed systems**
Bogliolo, A.; Benini, L.; Lattanzi, E.; De Micheli, G.;
Proceedings of the IEEE
Volume 92, Issue 8, Aug. 2004 Page(s):1308 - 1346

AbstractPlus | References | Full Text: PDF(1608 KB)   IEEE JNL

IEEE Xplore

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for **"fpga<and>sleep mode<and>clock"**
Your search matched **46** of **1174497** documents.
A maximum of **46** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History
» New Search

» Key

Modify Search

fpga<and>sleep mode<and>clock

☐ Check to search only within this results set

Display Format: ● Citation ○ Citation & Abstract

Key	
IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select   Article Information

☐ **26. A systematic approach to the design of distributed wearable systems**
Anliker, U.; Beutel, J.; Dyer, M.; Enzler, R.; Lukowicz, P.; Thiele, L.; Troster, G.;
Computers, IEEE Transactions on
Volume 53, Issue 8, Aug. 2004 Page(s):1017 - 1033
AbstractPlus | Full Text: PDF(1960 KB)   IEEE JNL

☐ **27. Statistical leakage current reduction in high-leakage environments using locality activation in time domain**
Jin-Hyeok Choi; Yingxue Xu; Sakurai, T.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 9, Sept. 2004 Page(s):1497 - 1503
AbstractPlus | References | Full Text: PDF(880 KB)   IEEE JNL

☐ **28. System-level power-aware design techniques in real-time systems**
Unsal, O.S.; Koren, I.;
Proceedings of the IEEE
Volume 91, Issue 7, July 2003 Page(s):1055 - 1069
AbstractPlus | References | Full Text: PDF(412 KB) | Full Text: HTML IEEE JNL

☐ **29. On the single-chip implementation of a Hiperlan/2 and IEEE 802.11a capable moc**
Grass, E.; Tittelbach-Helmrich, K.; Jagdhold, U.; Troya, A.; Lippert, G.; Kruger, O.; Leh Maharatna, K.; Dombrowski, K.F.; Fiebig, N.; Kraemer, R.; Mahonen, P.;
Personal Communications, IEEE [see also IEEE Wireless Communications]
Volume 8, Issue 6, Dec. 2001 Page(s):48 - 57
AbstractPlus | References | Full Text: PDF(1214 KB)   IEEE JNL

☐ **30. A dynamic voltage scaled microprocessor system**
Burd, T.D.; Pering, T.A.; Stratakos, A.J.; Brodersen, R.W.;
Solid-State Circuits, IEEE Journal of
Volume 35, Issue 11, Nov. 2000 Page(s):1571 - 1580
AbstractPlus | References | Full Text: PDF(200 KB)   IEEE JNL

☐ **31. Reducing power by optimizing the necessary precision/range of floating-point ar**
Tong, J.Y.F.; Nagle, D.; Rutenbar, R.A.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 8, Issue 3, June 2000 Page(s):273 - 286
AbstractPlus | References | Full Text: PDF(404 KB)   IEEE JNL

32. Automated low-power technique exploiting multiple supply voltages applied to a processor
Usami, K.; Igarashi, M.; Minami, F.; Ishikawa, T.; Kanzawa, M.; Ichida, M.; Nogami, K.;
Solid-State Circuits, IEEE Journal of
Volume 33, Issue 3, March 1998 Page(s):463 - 472

AbstractPlus | References | Full Text: PDF(252 KB)   IEEE JNL.

33. Multiple simultaneous acoustic source localization in urban terrain
Ledeczi, A.; Valgyesi, P.; Maroti, M.; Simon, G.; Balogh, G.; Nadas, A.; Kusy, B.; Dora,
Information Processing in Sensor Networks, 2005. IPSN 2005. Fourth International Syr
25-27 April 2005 Page(s):491 - 496

AbstractPlus | Full Text: PDF(809 KB)   IEEE CNF

34. Wake-up-frame scheme for ultra low power wireless transceivers
Xiaolei Shi; Stromberg, G.; Gsottberger, Y.; Sturm, T.;
Global Telecommunications Conference, 2004. GLOBECOM '04. IEEE
Volume 6, 29 Nov.-3 Dec. 2004 Page(s):3619 - 3623 Vol.6

AbstractPlus | Full Text: PDF(633 KB)   IEEE CNF

35. The EPAC Architecture: An Expert Cell Approach to Field Programmable Analog
Klein, H.W.;
Field-Programmable Gate Arrays, 1996. FPGA '96. Proceedings of the 1996 ACM Fou
Symposium on
1996 Page(s):94 - 98

AbstractPlus | Full Text: PDF(128 KB)   IEEE CNF

36. A reconfigurable computing architecture for microsensors
Scalera, S.; Falco, M.; Nelson, B.;
Field-Programmable Custom Computing Machines, 2000 IEEE Symposium on
17-19 April 2000 Page(s):59 - 67

AbstractPlus | Full Text: PDF(912 KB)   IEEE CNF

37. A novel architecture for efficient protocol processing in high speed communicati environments
Konstantoulakis, G.; Nellas, V.; Georgopoulos, C.; Orphanoudakis, T.; Zervos, N.; Stec
D.; Doumenis, G.; Reisis, D.; Nikolaou, N.; Sanchez, J.-A.;
Universal Multiservice Networks, 2000. ECUMN 2000. 1st European Conference on
2-4 Oct. 2000 Page(s):425 - 432

AbstractPlus | Full Text: PDF(724 KB)   IEEE CNF

38. The RAD750™-a radiation hardened PowerPC™ processor for high performance applications
Berger, R.W.; Bayles, D.; Brown, R.; Doyle, S.; Kazemzadeh, A.; Knowles, K.; Moser, I
Saari, B.; Stanley, D.; Grant, B.;
Aerospace Conference, 2001, IEEE Proceedings.
Volume 5, 10-17 March 2001 Page(s):2263 - 2272 vol.5

AbstractPlus | Full Text: PDF(1408 KB)   IEEE CNF

39. A PIM-based multiprocessor system
Suh, J.; Li, C.; Crago, S.P.; Parker, R.;
Parallel and Distributed Processing Symposium., Proceedings 15th International
23-27 April 2001 Page(s):6 pp.

AbstractPlus | Full Text: PDF(232 KB)   IEEE CNF

40.
A systematic approach to software peripherals for embedded systems
Lioupis, D.; Papagiannis, A.; Psihogiou, D.;

Hardware/Software Codesign, 2001. CODES 2001. Proceedings of the Ninth Internatic on
25-27 April 2001 Page(s):140 - 145

AbstractPlus | Full Text: PDF(544 KB)   IEEE CNF

41. A heterogeneous multiprocessor architecture for low-power audio signal proces. applications
Paker, O.; Sparso, J.; Haandbaek, N.; Isager, M.; Nielsen, L.S.;
VLSI, 2001. Proceedings. IEEE Computer Society Workshop on
19-20 April 2001 Page(s):47 - 53

AbstractPlus | Full Text: PDF(876 KB)   IEEE CNF

42. Synchronizing low-cost energy aware sensors in a short-range wireless cell
Nordman, M.M.; Kozlowski, W.E.; Vahamaki, O.;
Digital Systems, Design, 2001. Proceedings. Euromicro Symposium on
4-6 Sept. 2001 Page(s):438 - 445

AbstractPlus | Full Text: PDF(552 KB)   IEEE CNF

43. Performance modeling of reconfigurable SoC architectures and energy-efficient class of application
Jingzhao Ou; Seonil Choi; Prasanna, V.K.;
Field-Programmable Custom Computing Machines, 2003. FCCM 2003. 11th Annual IE on
9-11 April 2003 Page(s):241 - 250

AbstractPlus | Full Text: PDF(303 KB)   IEEE CNF

44. A 4.9mW 270MHz CMOS frequency synthesizer/FSK modulator
Hyokjae Choi; Sangho Shin; Yeonwoo Ku; Mooil Jeong; Kwyro Lee;
Radio Frequency Integrated Circuits (RFIC) Symposium, 2003 IEEE
8-10 June 2003 Page(s):443 - 446

AbstractPlus | Full Text: PDF(341 KB)   IEEE CNF

45. Scheduling techniques for reducing leakage power in hard real-time systems
Yann-Hang Lee; Reddy, K.P.; Krishna, C.M.;
Real-Time Systems, 2003. Proceedings. 15th Euromicro Conference on
2-4 July 2003 Page(s):105 - 112

AbstractPlus | Full Text: PDF(234 KB)   IEEE CNF

46. Platform based on open-source cores for industrial applications
Bolado, M.; Posadas, H.; Castillo, J.; Huerta, P.; Sanchez, P.; Sanchez, C.; Fouren; H.
Design, Automation and Test in Europe Conference and Exhibition, 2004. Proceedings
Volume 2, 16-20 Feb. 2004 Page(s):1014 - 1019 Vol.2

AbstractPlus | Full Text: PDF(224 KB)   IEEE CNF

Google

FPGA "sleep mode" clock   Search   Advanced Search
Preferences

Web

Results **1 - 10** of about **942** for FPGA **"sleep mode" clock**. (0.15 seconds)

[PDF] <u>Power-Save Feature: Sleep Current Down to 15mA</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
The Low Power UART includes a **sleep mode** that reduces power consumption when the
... ed to use an external **clock** and keep it running during Sleep/Power-Save ...
www.exar.com/products/dan176.pdf - <u>Similar pages</u>

<u>Power Management DesignLine|Low Power System Design Techniques ...</u>
However, for both **FPGA** process types, leakage current increases as process geometry
... **Clock** speed directly relates to bandwidth performance, however. ...
www.powermanagementdesignline.com/howto/51202053 - <u>Similar pages</u>

<u>Product Folder : DAC5686 - 16 Bit 500 MSPS Dual DAC, 16x ...</u>
Baseband I and Q from the ASIC/**FPGA** are input to the DAC5686, ... The DAC5686
PLL **clock** multiplier controls all internal clocks for the digital filters and ...
focus.ti.com/docs/prod/folders/print/dac5686.html - 55k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Technical Writer</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Each frequency domain in a design takes up one **clock** network in a quadrant, ...
The less logic used in a **FPGA** design, the less power it will require. ...
www.quicklogic.com/images/appnote80.pdf - <u>Similar pages</u>

<u>Low Power System Design Techniques Using FPGAs</u>
System **clock** frequency has a dramatic impact on the overall power ... Implementing
such a system controller in a low-power **FPGA** reduces the overall ...
www.us.design-reuse.com/articles/article9037.html - 63k - <u>Cached</u> - <u>Similar pages</u>

> <u>Low Power System Design Techniques Using FPGAs</u>
> Due to the extensive number of SRAM cells within SRAM **FPGA** interconnects, ...
> Likewise, keeping a microprocessor in its **sleep mode** also lengthens battery ...
> www.us.design-reuse.com/articles/?id=9037&print=yes - 37k - <u>Cached</u> - <u>Similar pages</u>

<u>DFPIC165X high Performance 8-bit RISC Microcontroller</u>
An integrated Watchdog Timer with it's own **clock** signal provides protection ...
If the device is in **SLEEP mode** the WDT timeout causes the device to wake-up ...
www.hitechglobal.com/ipcores/DFPIC165x.htm - 33k - <u>Cached</u> - <u>Similar pages</u>

> <u>DRPIC1655X low-cost, high performance, 8-bit, fully static soft IP ...</u>
> So most instructions are executed within 1 system **clock** period, ... If the device
> is in **SLEEP mode** the WDT timeout causes the device to wake-up and continue ...
> www.hitechglobal.com/ipcores/DRPIC1655x.htm - 38k - <u>Cached</u> - <u>Similar pages</u>

[PPT] <u>Structural and Temporal Control for Simultaneous Speed and Power ...</u>
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
Sleep Mode and Pulsed **Clock**. Visualizing a Wallace Tree as Equal-delay Layers
... Results - Improvements. Application. **FPGA**, Multimedia Processors, ALUs ...
bwrc.eecs.berkeley.edu/classes/icdesign/ ee241_s05/Projects/Presentations/1337%20Presentation.ppt -
<u>Similar pages</u>

PicoRadio Test Bed Power Saving Modes
FPGA external **clock** (Xilinx XC4020XL). Radio power and operating mode (Bluetooth)
... Xilinx **sleep mode** is established by turning off the **clock**. **...**
bwrc.eecs.berkeley.edu/Research/Pico_Radio/
Test_Bed/Hardware/Power/PowerMeasurements_Bluetooth_PowerV2.html - 58k -
Cached - Similar pages

Gooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

| Google ▾ | | Search ▾ | 377 blocked | Check ▾ | AutoLink ▾ | AutoFill |

| FPGA "sleep mode" clock | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

IEEE Xplore

Welcome United States Patent and Trademark Office

BROWSE   SEARCH   IEEE XPLORE GUIDE

Search Results

Results for "(((sleep or wait) and (operation or function or instruction or command) and (dut or (device <near..."   ☑ e-mail

Your search matched **4** of **1174497** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

Modify Search

» **Key**

| (((sleep or wait) and (operation or function or instruction or command) and (dut or (de | ⏵⏵

IEEE JNL IEEE Journal or Magazine   ▦ Check to search only within this results set

IEE JNL IEE Journal or Magazine   Display Format: ◉ Citation   ○ Citation & Abstract

IEEE CNF IEEE Conference Proceeding   Select   Article Information

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

▦   1. **Design of high speed arithmetic encoder [image coding applications]**
Mei Kuizhi; Zheng Nanning; Yao Ji; Liu Yuehu;
Solid-State and Integrated Circuits Technology, 2004. Proceedings. 7th International C
Volume 3, 18-21 Oct. 2004 Page(s):1617 - 1620 vol.3

AbstractPlus | Full Text: PDF(164 KB)   IEEE CNF

▦   2. **Xilinx FPGA design in a group environment using VHDL and synthesis tools**
Harrison, C.G.; Jones, P.L.;
Digital System Design Using Synthesis Techniques (Digest No: 1996-029), IEE Colloqu
15 Feb. 1996 Page(s):5/1 - 5/4

AbstractPlus | Full Text: PDF(336 KB)   IEE CNF

▦   3. **IPSec Implementation on Xilinx Virtex-II Pro FPGA and Its Application**
Jing Lu; Lockwood, J.;
Parallel and Distributed Processing Symposium, 2005. Proceedings. 19th IEEE Interna
04-08 April 2005 Page(s):158b - 158b

AbstractPlus | Full Text: PDF(584 KB)   IEEE CNF

4. **A Novel FPGA Compliant Micropipeline**
Zafar Y. ; Ahmed M. M. ;
IEEE Transactions on Circuits and Systems II: Express Briefs : Accepted for future pub
Volume PP, Issue 99, 2005 Page(s):1 - 1

AbstractPlus | Full Text: PDF(544 KB)   IEEE JNL

Help   Contact Us   Privacy & :

© Copyright 2005 IEEE –

Indexed by
Inspec

IEEE Xplore RELEASE 2.0

Welcome United States Patent and Trademark Office

Advanced Search   BROWSE   SEARCH   IEEE XPLORE GUIDE

OPTION 1
Enter keywords or phrases, select fields, and select operators

	in Full Text & All Fields
AND	in Full Text & All Fields
AND	in All Fields

OPTION 2
Enter keywords, phrases, or a Boolean expression

```
(sleep or wait) and (operation or function
or instruction or command) and (dut or
(device <near/1> under <near/1> test) or
fpga or (in <near/1> circuit <near/1>
emulator) or emuplator)
```

» Note: You may use the search operators <and> or <or>
without the start and end brackets <>.

» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**

Select publications
- ☑ IEEE Periodicals
- ☑ IEE Periodicals
- ☑ IEEE Conference Proceedir
- ☑ IEE Conference Proceeding
- ☑ IEEE Standards

» **Select date range**

Search latest content update (20
From year All
to Present

» **Display Format**
- Citation   Citation & Abstr

» **Organize results**

Maximum 100

Display 25 results per pa

Sort by Relevance

In Descending order

Help   Contact Us   Privacy &

Indexed by
Inspec

IEEE Xplore
RELEASE 2.0

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for **"sleep<and>emulator"**

☑ e-mail

Your search matched **71** of **1174497** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» **Key**

Modify Search

| sleep<and>emulator | >> |

☐ Check to search only within this results set

Display Format: ⦿ Citation   ◉ Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select   Article Information   View: 1-

☐ 1. **A Windows CE implementation of a middleware architecture supporting time-trig triggered objects**
Gimenez, G.; Kim, K.H.;
Computer Software and Applications Conference, 2001. COMPSAC 2001. 25th Annua
8-12 Oct. 2001 Page(s):181 - 189

AbstractPlus | Full Text: PDF(808 KB)   IEEE CNF

☐ 2. **A packet-switching satellite emulator: a proposal about architecture and implem**
Marchese, M.; Perrando, M.;
Communications, 2002. ICC 2002. IEEE International Conference on
Volume 5, 28 April-2 May 2002 Page(s):3033 - 3037 vol.5

AbstractPlus | Full Text: PDF(1550 KB)   IEEE CNF

☐ 3. **Versatile real time microprocessor development system**
Abdelbaki, H.E.M.;
Radio Science Conference, 2003. NRSC 2003. Proceedings of the Twentieth National
18-20 March 2003 Page(s):C32 - 1-8

AbstractPlus | Full Text: PDF(491 KB)   IEEE CNF

☐ 4. **The performance and energy consumption of embedded real-time operating syst**
Baynes, K.; Collins, C.; Fiterman, E.; Brinda Ganesh; Kohout, P.; Smit, C.; Zhang, T.; J
Computers, IEEE Transactions on
Volume 52, Issue 11, Nov. 2003 Page(s):1454 - 1469

AbstractPlus | References | Full Text: PDF(1372 KB)   IEEE JNL

☐ 5. **ORBIT Testbed Software Architecture: Supporting Experiments as a Service**
Ott, M.; Seskar, I.; Siraccusa, R.; Singh, M.;
Testbeds and Research Infrastructures for the Development of Networks and Commun
Tridentcom 2005. First International Conference on
23-25 Feb. 2005 Page(s):136 - 145

AbstractPlus | Full Text: PDF(896 KB)   IEEE CNF

☐ 6. **"Thoughtful" CTD Profiling System**
Irish, J.D.; Martini, M.; Needell, G.J.;
OCEANS '89. Proceedings
Volume 5, September 18-21, 1989 Page(s):1636 - 1641

AbstractPlus | Full Text: PDF(548 KB)   IEEE CNF

7. ·Distributed topology construction of Bluetooth personal area networks
Salonidis, T.; Bhagwat, P.; Tassiulas, L.; LaMaire, R.;
INFOCOM 2001. Twentieth Annual Joint Conference of the IEEE Computer and Comr
Societies. Proceedings. IEEE
Volume 3, 22-26 April 2001 Page(s):1577 - 1586 vol.3
AbstractPlus | Full Text: PDF(152 KB)   IEEE CNF

8. E-STROBE: an adaptive beacon activation algorithm for sensor localization
Tarnacha, A.; La Porta, T.F.;
Vehicular Technology Conference, 2003. VTC 2003-Fall. 2003 IEEE 58th
Volume 5, 6-9 Oct. 2003 Page(s):2951 - 2955 Vol.5
AbstractPlus | Full Text: PDF(433 KB)   IEEE CNF

9. Distributed topology construction of Bluetooth wireless personal area networks
Salonidis, T.; Bhagwat, P.; Tassiulas, L.; LaMaire, R.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 3, March 2005 Page(s):633 - 643
AbstractPlus | Full Text: PDF(464 KB)   IEEE JNL

10. High speed simulation scheduler for Cassini spacecraft
Saghi, G.; Reinholtz, K.;
Digital Avionics Systems Conference, 1997. 16th DASC., AIAA/IEEE
Volume 2, 26-30 Oct. 1997 Page(s):8.2 - 22-8.2-29 vol.2
AbstractPlus | Full Text: PDF(692 KB)   IEEE CNF

11. Internet emulation for Java applications through socket factories
Avvenuti, M.; Vecchio, A.;
Computer Software and Applications Conference, 2002. COMPSAC 2002. Proceeding
International
26-29 Aug. 2002 Page(s):111 - 116
AbstractPlus | Full Text: PDF(255 KB)   IEEE CNF

12. Risk management for software projects
Fairley, R.;
Software, IEEE
Volume 11, Issue 3, May 1994 Page(s):57 - 67
AbstractPlus | Full Text: PDF(1232 KB)   IEEE JNL

13. The design of DARTS: a dynamic debugger for multiprocessor real-time applicat
Timmerman, M.; Gielen, F.J.A.;
Nuclear Science, IEEE Transactions on
Volume 39, Issue 2, April 1992 Page(s):121 - 129
AbstractPlus | Full Text: PDF(556 KB)   IEEE JNL

14. A multitasking software architecture to implement concurrent switching sequenc
with Petri nets
Pinto de Sa, J.L.; Paiva, J.P.S.;
Power Delivery, IEEE Transactions on
Volume 6, Issue 3, July 1991 Page(s):1058 - 1064
AbstractPlus | Full Text: PDF(680 KB)   IEEE JNL

15. A battery operated bubble memory data-acquisition system
Negro, V.C.;
Instrumentation and Measurement, IEEE Transactions on
Volume 37, Issue 2, June 1988 Page(s):305 - 308
AbstractPlus | Full Text: PDF(640 KB)   IEEE JNL

16. **Software testing for wireless mobile computing**
Satoh, I.;
Wireless Communications, IEEE [see also IEEE Personal Communications]
Volume 11, Issue 5, Oct. 2004 Page(s):58 - 64

AbstractPlus | Full Text: PDF(12231 KB)   IEEE JNL

17. **Methods for scalable self-assembly of ad hoc wireless sensor networks**
Sohrabi, K.; Merrill, W.; Elson, J.; Girod, L.; Newberg, F.; Kaiser, W.;
Mobile Computing, IEEE Transactions on
Volume 3, Issue 4, Oct.-Dec. 2004 Page(s):317 - 331

AbstractPlus | Full Text: PDF(1504 KB)   IEEE JNL

18. **A precise 90/spl deg/ quadrature OTA-C oscillator tunable in the 50-130-MHz ran**
Linares-Barranco, B.; Serrano-Gotarredona, T.; Ramos-Martos, J.; Ceballos-Caceres,
Linares-Barranco, A.;
Circuits and Systems I: Regular Papers, IEEE Transactions on [see also Circuits and S
Fundamental Theory and Applications, IEEE Transactions on]
Volume 51, Issue 4, April 2004 Page(s):649 - 663

AbstractPlus | References | Full Text: PDF(608 KB)   IEEE JNL

19. **A 600-MHz single-chip multiprocessor with 4.8-GB/s internal shared pipelined bu**
internal memory
Kaneko, S.; Kondo, H.; Masui, N.; Ishimi, K.; Itou, T.; Satou, M.; Okumura, N.; Takata,
Sakugawa, M.; Higuchi, T.; Ohtani, S.; Sakamoto, K.; Ishikawa, N.; Nakajima, M.; Iwata
Nakano, S.; Nakazawa, S.; Yamada, K.; Shimizu, T.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 1, Jan. 2004 Page(s):184 - 193

AbstractPlus | References | Full Text: PDF(856 KB)   IEEE JNL

20. **A testing framework for mobile computing software**
Satoh, I.;
Software Engineering, IEEE Transactions on
Volume 29, Issue 12, Dec. 2003 Page(s):1112 - 1121

AbstractPlus | References | Full Text: PDF(863 KB)   IEEE JNL

21. **Design and realization of a portable data logger for physiological sensing [GSR]**
Luharuka, R.; Gao, R.X.; Krishnamurty, S.;
Instrumentation and Measurement, IEEE Transactions on
Volume 52, Issue 4, Aug. 2003 Page(s):1289 - 1295

AbstractPlus | References | Full Text: PDF(1355 KB)   IEEE JNL

22. **A simulation framework for energy-consumption analysis of OS-driven embedde**
Tan, T.K.; Raghunathan, A.; Jha, N.K.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 22, Issue 9, Sept. 2003 Page(s):1284 - 1294

AbstractPlus | References | Full Text: PDF(1542 KB)   IEEE JNL

23. **A decision tree for brain-computer interface devices**
Kennedy, P.R.; Adams, K.D.;
Neural Systems and Rehabilitation Engineering, IEEE Transactions on [see also IEEE
Rehabilitation Engineering]
Volume 11, Issue 2, June 2003 Page(s):148 - 150

AbstractPlus | References | Full Text: PDF(291 KB)   IEEE JNL

24.
A tool for analyzing and fine tuning the real-time properties of an embedded syst
Stewart, D.B.; Arora, G.;

Software Engineering, IEEE Transactions on
Volume 29, Issue 4, April 2003 Page(s):311 - 326

AbstractPlus | References | Full Text: PDF(1830 KB)   IEEE JNL

25. **The Raw microprocessor: a computational fabric for software circuits and gener:
programs**
Taylor, M.B.; Kim, J.; Miller, J.; Wentzlaff, D.; Ghodrat, F.; Greenwald, B.; Hoffman, H.;
Jae-Wook Lee; Lee, W.; Ma, A.; Saraf, A.; Seneski, M.; Shnidman, N.; Strumpen, V.; F
Amarasinghe, S.; Agarwal, A.;
Micro, IEEE
Volume 22, Issue 2, March-April 2002 Page(s):25 - 35

AbstractPlus | References | Full Text: PDF(440 KB)   IEEE JNL

View: 1-

Help   Contact Us   Privacy & :

IEEE *Xplore* RELEASE 2.0

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(sleep<in>metadata) <and> (emulator<in>metadata)"   ☑ e-mail
Your search matched **0** of **1174497** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(sleep<in>metadata) <and> (emulator<in>metadata)   [>>]

☐ Check to search only within this results set

Display Format: ● Citation   ○ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help   Contact Us   Privacy & :

Indexed by
Inspec

IEEE *Xplore*
RELEASE 2.0

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(sleep commond<or>sleep function<or>sleep instruction<and>(fpga<or>dut<or..."   ☑ e-mail
Your search matched **31** of **44** documents.
A maximum of **31** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History
» New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(sleep commond<or>sleep function<or>sleep instruction<and>(fpga<or>dut<or>emu   »

▨ Check to search only within this results set

Display Format: ● Citation   ○ Citation & Abstract

Select   Article Information

▨   1. **POSIX Part 1: System API- Amend. 1: Realtime Extension [C Language]**
IEEE Std 1003.1b-1993
1994 Page(s):0_3
AbstractPlus | Full Text: PDF(34288 KB)   IEEE STD

▨   2. **A 0.5-V power-supply scheme for low-power system LSIs using multi-V/sub th/ S technology**
Fuse, T.; Ohta, M.; Tokumasu, M.; Fujii, H.; Kawanaka, S.; Kameyama, A.;
Solid-State Circuits, IEEE Journal of
Volume 38, Issue 2, Feb. 2003 Page(s):303 - 311
AbstractPlus | References | Full Text: PDF(992 KB)   IEEE JNL

▨   3. **Information technology- portable operating system interface (POSIX)-test metho conformance to POSIX-part 1: system interfaces**
ISO/IEC 14515-1:2000(E); IEEE Std 20003.1-1992 (Reaff 2000)
2000 Page(s):i - viii
AbstractPlus | Full Text: PDF(1736 KB)   IEEE STD

▨   4. **Time-constrained programming in Windows NT environment**
Budin, L.; Jelenkovic, L.;
Industrial Electronics, 1999. ISIE '99. Proceedings of the IEEE International Symposiur
Volume 1, 12-16 July 1999 Page(s):90 - 94 vol.1
AbstractPlus | Full Text: PDF(440 KB)   IEEE CNF

▨   5. **1-V, 30-MHz memory-macrocell-circuit technology with a 0.5-μm multi-threshold**
Date, S.; Shibata, N.; Mutoh, S.-I.; Yamada, J.;
Low Power Electronics, 1994. Digest of Technical Papers., IEEE Symposium
10-12 Oct. 1994 Page(s):90 - 91
AbstractPlus | Full Text: PDF(164 KB)   IEEE CNF

▨   6. **Experiences in programming a traffic shaper**
Chiu, D.-M.; Kadansky, M.; Provino, J.; Wesley, J.;
Computers and Communications, 2000. Proceedings. ISCC 2000. Fifth IEEE Symposi
3-6 July 2000 Page(s):470 - 476
AbstractPlus | Full Text: PDF(424 KB)   IEEE CNF

7. **A congestion control algorithm for tree-based reliable multicast protocols**
Dah Ming Chiu; Kadansky, M.; Joe Provino; Wesley, J.; Bischof, H.; Haifeng Zhu;
INFOCOM 2002. Twenty-First Annual Joint Conference of the IEEE Computer and Cor
Societies. Proceedings. IEEE
Volume 3, 23-27 June 2002 Page(s):1209 - 1217

AbstractPlus | Full Text: PDF(282 KB)   IEEE CNF

8. **Bayesian statistical approach to design the optimal auto-sleep function in a com**
Okamura, H.; Sugiharat, T.; Dohi, T.; Osaki, S.;
Circuits and Systems, 2004. MWSCAS '04. The 2004 47th Midwest Symposium on
Volume 2, 25-28 July 2004 Page(s):II-309 - II-312 vol.2

AbstractPlus | Full Text: PDF(457 KB)   IEEE CNF

9. **Standard for information technology - portable operating system interface (POSI;**
interfaces
IEEE Std 1003.1, 2004 Edition. The Open Group Technical Standard. Base Specificatic
Includes IEEE Std 1003.1-2001, IEEE Std 1003.1-2001/Cor 1-2002 and IEEE Std 100:
2004. System Interfaces
2004

AbstractPlus | Full Text: PDF(6032 KB)   IEEE STD

10. **1003.1 standard for information technology - portable operating system interface**
interfaces, issue 6
IEEE Std 1003.1-2001. System Interfaces, Issue 6
2001 Page(s):i - 1690

AbstractPlus | Full Text: PDF(6643 KB)   IEEE STD

11. **Distributed Sleep-Scheduling Protocols for Energy Conservation in Wireless Net**
Naik, R.; Biswas, S.; Datta, S.;
System Sciences, 2005. HICSS '05. Proceedings of the 38th Annual Hawaii Internatior
03-06 Jan. 2005 Page(s):285b - 285b

AbstractPlus | Full Text: PDF(192 KB)   IEEE CNF

12. **IEEE Standard for Information Technology- POSIX R Ada Language Interfaces- P**
for System Application Program Interface (API)- Amendment 1: Realtime Extensi
IEEE Std 1003.5b-1996 (Includes IEEE Std 1003.5-1992)
1997 Page(s):0_1 - 529

AbstractPlus | Full Text: PDF(1794 KB)   IEEE STD

13. **IEEE Standard for Information Technology- Standardized Application Environme**
POSIX Realtime and Embedded Application Support
IEEE Std 1003.13-2003 (Revision of IEEE Std 1003.13-1998)
2004 Page(s):i - 164

AbstractPlus | Full Text: PDF(4069 KB)   IEEE STD

14. **IEEE standard for information technology - POSIX(R) Ada language interfaces - ρ**
for system Application Program Interface (API) - amendment 2: protocol-indepen
IEEE Std 1003.5, 1999 Edition
3 Dec. 1999

AbstractPlus | Full Text: PDF(4440 KB)   IEEE STD

15. **IEEE Standard For Information Technology - test Methods For Measuring Confor**
part 1: System Interfaces
IEEE Std 2003.1-1992
1992 Page(s):0_3 - 442

AbstractPlus | Full Text: PDF(27592 KB)   IEEE STD

16. **Simulation and robustness analysis for a novel capacitive/magnetic full-turn abs position sensor**
Zangl, H.; Brandstatter, B.; Cermak, S.P.; Brasseur, G.; Fulmek, P.L.;
Instrumentation and Measurement, IEEE Transactions on
Volume 54, Issue 1, Feb. 2005 Page(s):436 - 441
AbstractPlus | Full Text: PDF(376 KB)   IEEE JNL

17. **NOVAHID: a novel architecture for asynchronous, hierarchical, international, dist time payments processing**
Lee, P.C.; Ghosh, S.;
Selected Areas in Communications, IEEE Journal on
Volume 12, Issue 6, Aug. 1994 Page(s):1072 - 1087
AbstractPlus | Full Text: PDF(1372 KB)   IEEE JNL

18. **A 250-MHz single-chip multiprocessor for audio and video signal processing**
Koyama, T.; Inoue, K.; Hanaki, H.; Yasue, M.; Iwata, E.;
Solid-State Circuits, IEEE Journal of
Volume 36, Issue 11, Nov. 2001 Page(s):1768 - 1774
AbstractPlus | References | Full Text: PDF(307 KB)   IEEE JNL

19. **Simulation of a distributed target recognition system with variable operating con**
Adhikari, S.; Fang, J.; Lindgren, G.; Wadie, S.; DeVore, M.D.;
Systems and Information Engineering Design Symposium, 2004. Proceedings of the 2(
16 Apr 2004 Page(s):105 - 112
AbstractPlus | Full Text: PDF(373 KB)   IEEE CNF

20. **A Linux-Based Implementation of a Middleware Model Supporting Time-Triggere Triggered Objects**
Jenks, S.F.; Kane Kim; Henrich, E.; Yuqing Li; Liangchen Zheng; Moon H. Kim; Hee-Y
Hee Lee; Dong-Myung Seol;
Object-Oriented Real-Time Distributed Computing, 2005. ISORC 2005. Eighth IEEE In
Symposium on
18-20 May 2005 Page(s):350 - 358
AbstractPlus | Full Text: PDF(392 KB)   IEEE CNF

21. **TiNy Threads: A Thread Virtual Machine for the Cyclops64 Cellular Architecture**
del Cuvillo, J.; Weirong Zhu; Ziang Hu; Gao, G.R.;
Parallel and Distributed Processing Symposium, 2005. Proceedings. 19th IEEE Interna
04-08 April 2005 Page(s):265b - 265b
AbstractPlus | Full Text: PDF(152 KB)   IEEE CNF

22. **An AC-3/MPEG multi-standard audio decoder IC**
Li, S.; Rowlands, J.; Ng, P.; Gill, M.; Youm, D.S.; Kam, D.; Song, S.W.; Look, P.;
Custom Integrated Circuits Conference, 1997., Proceedings of the IEEE 1997
5-8 May 1997 Page(s):245 - 248
AbstractPlus | Full Text: PDF(544 KB)   IEEE CNF

23. **Comparing the real-time performance of Windows NT to an NT real-time extensio**
Obenland, K.M.; Frazier, T.; Kim, J.S.; Kowalik, J.;
Real-Time Technology and Applications Symposium, 1999. Proceedings of the Fifth IE
2-4 June 1999 Page(s):142 - 151
AbstractPlus | Full Text: PDF(176 KB)   IEEE CNF

24. **Modern product design in an undergraduate EE course**
Kuhn, W.B.; Oskarsson, H.;
Frontiers in Education Conference, 1999. FIE '99. 29th Annual
Volume 3, 10-13 Nov. 1999 Page(s):13D6/23 - 13D6/28 vol.3

AbstractPlus | Full Text: PDF(296 KB)   IEEE CNF

25. EMG control switching system for FES
Yamaguchi, H.; Nishikawa, D.; Yu, W.; Maruishi, M.; Yokoi, H.; Mano, Y.; Kakazu, Y.;
Robot and Human Interaction, 1999. RO-MAN '99. 8th IEEE International Workshop or
27-29 Sept. 1999 Page(s):7 - 12

AbstractPlus | Full Text: PDF(408 KB)   IEEE CNF

IEEE Xplore release 2.0

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for **"(sleep commond<or>sleep function<or>sleep instruction<and>(fpga<or>dut<or..."**   ☑ e-mail
Your search matched **31** of **44** documents.
A maximum of **31** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

Modify Search

» Key

(sleep commond<or>sleep function<or>sleep instruction<and>(fpga<or>dut<or>emu »

IEEE JNL | IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL | IEE Journal or Magazine

Display Format: ⦿ Citation   ◯ Citation & Abstract

IEEE CNF | IEEE Conference Proceeding

Select   Article Information

IEE CNF | IEE Conference Proceeding

IEEE STD | IEEE Standard

☐ **26. Making sense of step-by-step procedures**
Steehouder, M.; Karreman, J.; Ummelen, N.;
Professional Communication Conference, 2000. Proceedings of 2000 Joint IEEE Interr
Annual Conference on Computer Documentation (IPCC/SIGDOC 2000)
24-27 Sept. 2000 Page(s):463 - 475

AbstractPlus | Full Text: PDF(752 KB)   IEEE CNF

☐ **27. Synthesis of low-leakage PD-SOI circuits with body-biasing**
Casu, M.R.; Piccinini, G.;
Low Power Electronics and Design, International Symposium on, 2001.
6-7 Aug. 2001 Page(s):287 - 290

AbstractPlus | Full Text: PDF(364 KB)   IEEE CNF

☐ **28. X4CP32: a new parallel/reconfigurable general-purpose processor**
Soares, R.; Azevedo, A.; Silva, I.S.;
Computer Architecture and High Performance Computing, 2003. Proceedings. 15th Sy
10-12 Nov. 2003 Page(s):260 - 268

AbstractPlus | Full Text: PDF(385 KB)   IEEE CNF

☐ **29. Personal autonomic computing self-healing tool**
Sterritt, R.; Chung, S.;
Engineering of Computer-Based Systems, 2004. Proceedings. 11th IEEE International
Workshop on the
24-27 May 2004 Page(s):513 - 520

AbstractPlus | Full Text: PDF(326 KB)   IEEE CNF

☐ **30. Time-Lapse Underwater Photography System with Event Sensor Capability**
Lobsiger, U.; Hoar, G.; Johnson, B.;
OCEANS
Volume 18, Sep 1986 Page(s):19 - 23

AbstractPlus | Full Text: PDF(536 KB)   IEEE CNF

☐ **31. IEEE standard for information technology- portable operating system interface (I**
system application program interface (API)-amendment J: advanced realtime ext
language]
IEEE Std 1003.1j-2000
2000 Page(s):0_1 - 88

AbstractPlus | Full Text: PDF(344 KB)   IEEE STD

IEEE Xplore
RELEASE 2.0

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((in circuit emulator)<and>(sleep<or> stall)<in>metadata)"   ☑ e-mail
Your search matched **0** of **1174497** documents.
A maximum of **31** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» **Key**

Modify Search

((in circuit emulator)<and>(sleep<or> stall)<in>metadata)   »

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

▦ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help   Contact Us   Privacy & :

IEEE Xplore RELEASE 2.0

Welcome United States Patent and Trademark Office

Author Search   BROWSE   SEARCH   IEEE XPLORE GUIDE

OPTION 1
Quick Find an Author:
Enter a name to locate articles written by that author.

| nemecek | » |

Example: Enter Lockett S to obtain a list of authors with the last
name Lockett and the first initial S.

OPTION 2
Browse alphabetically

Select a letter from the list.
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Select a name to view articles written by that author

Nemecek A.   Nemecek P.   Nemece

Nemecek Z.

Help   Contact Us   Privacy &

Indexed by
Inspec*

IEEE *Xplore®*
RELEASE 2.0

Welcome United States Patent and Trademark Office

BROWSE   SEARCH   IEEE XPLORE GUIDE

Search Results

Results for **"((fpga)<and>(sleep mode)<and>(clock)<in>metadata)"**   ☑ e-mail
Your search matched 6 of **1174497** documents.
A maximum of **31** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» **View Session History**

» **New Search**

Modify Search

» **Key**

| (((fpga)<and>(sleep mode)<and>(clock)<in>metadata) | >> |

IEEE JNL IEEE Journal or
Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or
Magazine

Display Format: ◉ Citation   ○ Citation & Abstract

IEEE CNF IEEE Conference
Proceeding

Select   Article Information

IEE CNF IEE Conference
Proceeding

☐ 1. **Design and analysis of dual-rail circuits for security applications**
Sokolov, D.; Murphy, J.; Bystrov, A.; Yakovlev, A.;
Computers, IEEE Transactions on
Volume 54, Issue 4, April 2005 Page(s):449 - 460

IEEE STD IEEE Standard

AbstractPlus | Full Text: PDF(1272 KB)   IEEE JNL

☐ 2. **Implementation of a low power motion detection camera processor using a CMO**
Suh Ho Lee; Seon Wook Kim; Suki Kim;
Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International Sympos
Volume 2, 23-26 May 2004 Page(s):II - 737-40 Vol.2

AbstractPlus | Full Text: PDF(407 KB)   IEEE CNF

☐ 3. **Solar compass chip**
Liebe, C.C.;
Sensors Journal, IEEE
Volume 4, Issue 6, Dec. 2004 Page(s):779 - 786

AbstractPlus | References | Full Text: PDF(768 KB)   IEEE JNL

☐ 4. **A dynamic voltage scaled microprocessor system**
Burd, T.D.; Pering, T.A.; Stratakos, A.J.; Brodersen, R.W.;
Solid-State Circuits, IEEE Journal of
Volume 35, Issue 11, Nov. 2000 Page(s):1571 - 1580

AbstractPlus | References | Full Text: PDF(200 KB)   IEEE JNL

☐ 5. **Automated low-power technique exploiting multiple supply voltages applied to a
processor**
Usami, K.; Igarashi, M.; Minami, F.; Ishikawa, T.; Kanzawa, M.; Ichida, M.; Nogami, K.;
Solid-State Circuits, IEEE Journal of
Volume 33, Issue 3, March 1998 Page(s):463 - 472

AbstractPlus | References | Full Text: PDF(252 KB)   IEEE JNL

☐ 6. **Synchronizing low-cost energy aware sensors in a short-range wireless cell**
Nordman, M.M.; Kozlowski, W.E.; Vahamaki, O.;
Digital Systems, Design, 2001. Proceedings. Euromicro Symposium on
4-6 Sept. 2001 Page(s):438 - 445

AbstractPlus | Full Text: PDF(552 KB)   IEEE CNF

Google

FPGA "sleep mode" clock   Search   Advanced Search
                                            Preferences

Web   Results **1 - 10** of about **942** for FPGA **"sleep mode" clock**. (**0.15** seconds)

[PDF] Power-Save Feature: Sleep Current Down to 15mA
File Format: PDF/Adobe Acrobat - View as HTML
The Low Power UART includes a **sleep mode** that reduces power consumption when the
... ed to use an external **clock** and keep it running during Sleep/Power-Save ...
www.exar.com/products/dan176.pdf - Similar pages

Power Management DesignLine|Low Power System Design Techniques ...
However, for both **FPGA** process types, leakage current increases as process geometry
... **Clock** speed directly relates to bandwidth performance, however. ...
www.powermanagementdesignline.com/howto/51202053 - Similar pages

Product Folder : DAC5686 - 16 Bit 500 MSPS Dual DAC, 16x ...
Baseband I and Q from the ASIC/**FPGA** are input to the DAC5686, ... The DAC5686
PLL **clock** multiplier controls all internal clocks for the digital filters and ...
focus.ti.com/docs/prod/folders/print/dac5686.html - 55k - Cached - Similar pages

[PDF] Technical Writer
File Format: PDF/Adobe Acrobat - View as HTML
Each frequency domain in a design takes up one **clock** network in a quadrant, ...
The less logic used in a **FPGA** design, the less power it will require. ...
www.quicklogic.com/images/appnote80.pdf - Similar pages

Low Power System Design Techniques Using FPGAs
System **clock** frequency has a dramatic impact on the overall power ... Implementing
such a system controller in a low-power **FPGA** reduces the overall ...
www.us.design-reuse.com/articles/article9037.html - 63k - Cached - Similar pages

Low Power System Design Techniques Using FPGAs
Due to the extensive number of SRAM cells within SRAM **FPGA** interconnects, ...
Likewise, keeping a microprocessor in its **sleep mode** also lengthens battery ...
www.us.design-reuse.com/articles/?id=9037&print=yes - 37k - Cached - Similar pages

DFPIC165X high Performance 8-bit RISC Microcontroller
An integrated Watchdog Timer with it's own **clock** signal provides protection ...
If the device is in **SLEEP** mode the WDT timeout causes the device to wake-up ...
www.hitechglobal.com/ipcores/DFPIC165x.htm - 33k - Cached - Similar pages

DRPIC1655X low-cost, high performance, 8-bit, fully static soft IP ...
So most instructions are executed within 1 system **clock** period, ... If the device
is in **SLEEP** mode the WDT timeout causes the device to wake-up and continue ...
www.hitechglobal.com/ipcores/DRPIC1655x.htm - 38k - Cached - Similar pages

[PPT] Structural and Temporal Control for Simultaneous Speed and Power ...
File Format: Microsoft Powerpoint 97 - View as HTML
Sleep Mode and Pulsed **Clock**. Visualizing a Wallace Tree as Equal-delay Layers
... Results - Improvements. Application. **FPGA**, Multimedia Processors, ALUs ...
bwrc.eecs.berkeley.edu/classes/icdesign/ ee241_s05/Projects/Presentations/1337%20Presentation.ppt -
Similar pages

PicoRadio Test Bed Power Saving Modes
FPGA external **clock** (Xilinx XC4020XL). Radio power and operating mode (Bluetooth)
... Xilinx sleep mode is established by turning off the **clock.** ...
bwrc.eecs.berkeley.edu/Research/Pico_Radio/
Test_Bed/Hardware/Power/PowerMeasurements_Bluetooth_PowerV2.html - 58k -
Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

| Google ▾ | | ☰ | C Search ▾ | | 377 blocked | Check ▾ | AutoLink ▾ | AutoFill |

FPGA "sleep mode" clock   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google